80809 SEARCH REQUEST FORM

Access DB#_____

Scientific and Technical Information Center

Requester's Full Name: Lisa. Y	1 Cook	00	nad s. u	lacha
Art Unit: 1641 Phone Nur	nber 30 <u>5-0808</u>	Serial Number	7/34 Date: <u>11</u> er: <u>09/462, 9.3</u>	
Mail Box and Bldg/Room Location: 6	M1 7e-12 Res	ults Format Preferre	ed (circle) PAPER	DISK E-MAIL
If more than one search is submitt				******
Please provide a detailed statement of the sea Include the elected species or structures, key utility of the invention. Define any terms tha known. Please attach a copy of the cover she	words, synonyms, acro it may have a special m	nyms, and registry numl leaning. Give examples	bers, and combine with	the concept or
Title of Invention; Bolated C		1 /		· ·
Inventors (please provide full names):	ulka Hellr	nan,	, C (S	.
Earliest Priority Filing Date:			Ch	
For Sequence Searches Only Please include appropriate serial number.		_	or issued patent number	s) along with the
Structure Search	Seo. Id. N	6.2		
STILLING SELLET	The The	Point of Contact:	Point of Contact: Thomas G, Larson, B	h D
Therference seen		703 200	703-298-7309	
Onterference Search		CM1, Rm. 6 B 01	CM1, Rm. ⊕ ⊕ 01	
search positions with gamma-corb positions 17, 21, on this sheet. Amended case	No. 2 b - 30 by lated 9 d 24 MRICHTER		positions of positions of the dead the	7-30 claims
STAFF USE ONLY Searcher:	Type of Search NA Sequence (#) AA Sequence (#) Structure (#) Bibliographic Litigation Fulltext Patent Family Other	STN Z STN Questel/Orbit Dr.Link Lexis/Nexis Sequence Systems	ABSS\$2, I	
PTO-1590 (1-2000)		•		

Marked-Up Copy of the Amended Claims

25 (amended). A monoclonal antibody or recombinant antibody fragment [having the eapability of binding] which binds a human gamma-carboxylated osteocalcin fragment, wherein said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of

- i) a fragment which spans from amino acid in position 7 to amino acid in position 30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21 and 24 of said sequence are gamma-carboxylated, and
- ii) a fragment which spans from amino acid in position 6 to amino acid in position 30 of the amino acid sequence of SEQ ID NO:2[, and that] in which all three glutamic acids in the positions 17, 21 and 24 of said sequence are gamma-carboxylated.

26 (amended). A non-competitive immunoassay for quantitative determination of a gamma-carboxylated osteocalcin fragment in a sample comprising contacting [a] the sample [containing said osteocalcin fragment] with two monoclonal antibodies or recombinant antibody fragments which bind said osteocalcin fragment, [and detecting] measuring bound monoclonal antibody or recombinant antibody fragment, comparing said amount with an amount measured in a sample having a known quantity of said osteocalcin fragment, wherein said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of

i) a fragment which spans from amino acid in position 7 to amino acid in position 30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21 and 24 of said sequence are gamma-carboxylated, and

Serial No. 09/462,931 September 13, 2002 Marked-Up Copy, Page 2

ii) a fragment which spans from amino acid in position 6 to amino acid in position 30 of the amino acid sequence of SEQ ID NO:2[, and that] in which all three glutamic acids in the positions 17, 21 and 24 of said sequence are gamma-carboxylated.

Serial No.: 09/462,931 3 October 2001 Page 3

Clean Copy of the Amended Claims

By

5 (amended). A cell line producing the monoclonal antibody of claim 25.

 p^3

8 (twice amended). The immunoassay of claim 26, wherein the non-competitive immunoassay is carried out in either a one-step or a two-step incubation procedure.



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

BIBDATASHEET

Bib Data Sheet

CONFIRMATION NO. 5666

SERIAL NUMBI 09/462,931	ER	FILING DATE 01/18/2000 RULE	C	CLASS 435	GRO	OUP ART 1641	UNIT		ATTORNEY OCKET NO. 2328-115			
APPLICANTS												
JUKKA HELLMAN, TURKU, FINLAND;												
SANNA-MARIA KAKONEN, TURKU, FINLAND; MATTI KARP, LITTOINEN, FINLAND;TIMO LOVGREN, TURKU, FINLAND; H. KALERVO VAANANEN, TURKU, FINLAND; KIM PETTERSSON, TURKU, FINLAND;												
** CONTINUING DATA **********************************												
This application is a 371 of PCT/FI98/00550 06/24/1998												
** FOREIGN APPLICATIONS ************************************												
IF REQUIRED, FOREIGN FILING LICENSE GRANTED ** 04/11/2000												
Foreign Priority claimed			STATE OR	Sł	HEETS	тот	AL	INDEPENDENT				
met Verified and Acknowledged Examiner's Signature Met after Allowance yes no Met after Allowance Initials		COUNTRY FINLAND	DRAWING C		CLAI 13		CLAIMS 1					
ADDRESS 6449 ROTHWELL, FIGG, ERNST & MANBECK, P.C. 1425 K STREET, N.W. SUITE 800 WASHINGTON , DC 20005												
TITLE ISOLATED OSTEOCALCIN FRAGMENTS												
	· ·						☐ All Fees					
FILING FEE FEES: Authority has been given in Paper No to charge/credit DEPOSIT ACCOUNT RECEIVED No for following:					☐ 1.16 Fees (Filing)							
					☐ 1.17 Fees (Processing Ext. of time)							
					☐ 1.18 Fees (Issue)							

STIC Search Subnitled 11/21/02. LYCOOK

Serial No. 09/462,931 September 13, 2002 Marked-Up Copy, Page 1

Marked-Up Copy of the Amended Claims

25 (amended). A monoclonal antibody or recombinant antibody fragment [having the capability of binding] which binds a human gamma-carboxylated osteocalcin fragment, wherein said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of

- i) a fragment which spans from amino acid in position 7 to amino acid in position 30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21 and 24 of said sequence are gamma-carboxylated, and
- ii) a fragment which spans from amino acid in position 6 to amino acid in position 30 of the amino acid sequence of SEQ ID NO:2[, and that] in which all three glutamic acids in the positions 17, 21 and 24 of said sequence are gamma-carboxylated.

26 (amended). A non-competitive immunoassay for quantitative determination of a gamma-carboxylated osteocalcin fragment in a sample comprising contacting [a] the sample [containing said osteocalcin fragment] with two monoclonal antibodies or recombinant antibody fragments which bind said osteocalcin fragment, [and detecting] measuring bound monoclonal antibody or recombinant antibody fragment, comparing said amount with an amount measured in a sample having a known quantity of said osteocalcin fragment, wherein said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of

i) a fragment which spans from amino acid in position 7 to amino acid in position 30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21 and 24 of said sequence are gamma-carboxylated, and

Serial No. 09/462,931 September 13, 2002 Marked-Up Copy, Page 2

ii) a fragment which spans from amino acid in position 6 to amino acid in position 30 of the amino acid sequence of SEQ ID NO:2[, and that] <u>in which</u> all three glutamic acids in the positions 17, 21 and 24 of said sequence are gamma-carboxylated.

1

Clean Copy of Amended Claims

25 (amended). A monoclonal antibody or recombinant antibody fragment which binds a human gamma-carboxylated osteocalcin fragment, said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of:

- i) a fragment which comprises amino acids 7-30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21, and 24 of said sequence are gamma-carboxylated, and
- ii) a fragment which comprises amino acids 6-30 of the amino acid sequence of SEQ ID NO:2 in which all three glutamic acids in the positions 17, 21 and 24 of said sequence gamma-carboxylated.

26 (amended). A non-competitive immunoassay for quantitative determination of a gamma-carboxylated osteocalcin fragment comprising contacting a sample containing said osteocalcin fragment with two monoclonal antibodies or recombinant antibody fragments which bind said osteocalcin fragment, detecting bound monoclonal antibody or recombinant antibody fragments and correlating bound monoclonal antibody or recombinant antibody fragments with amount of osteocalcin fragment present, wherein said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of

i) a fragment which comprises amino acids 7-30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21 and 24 of said sequence are gamma-carboxylated, and

Serial No. 09/462,931 30 May 2002 Page 3

ii) a fragment which comprises amino acids 6-30 of the amino acid sequence of SEQ ID NO:2 in which all three glutamic acids in the positions 17, 21 and 24 of said sequence are gamma-carboxylated.

Clean Copy of Amended Claims

25 (amended). A monoclonal antibody or recombinant antibody fragment which binds a human gamma-carboxylated osteocalcin fragment, said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of:

- i) a fragment which comprises amino acids 7-30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21, and 24 of said sequence are gamma-carboxylated, and
- ii) a fragment which comprises amino acids 6-30 of the amino acid sequence of SEQ ID NO:2 in which all three glutamic acids in the positions 17, 21 and 24 of said sequence gamma-carboxylated.

26 (amended). A non-competitive immunoassay for quantitative determination of a gamma-carboxylated osteocalcin fragment comprising contacting a sample containing said osteocalcin fragment with two monoclonal antibodies or recombinant antibody fragments which bind said osteocalcin fragment, detecting bound monoclonal antibody or recombinant antibody fragments and correlating bound monoclonal antibody or recombinant antibody fragments with amount of osteocalcin fragment present, wherein said monoclonal antibody or recombinant antibody fragment has the specificity to epitopes that have been identified on said gamma-carboxylated fragment of osteocalcin, said osteocalcin fragment selected from the group consisting of

i) a fragment which comprises amino acids 7-30 of the amino acid sequence set forth in SEQ ID NO:2 in which all three glutamic acids in positions 17, 21 and 24 of said sequence are gamma-carboxylated, and

Serial No. 09/462,931 30 May 2002 Page 3

ii) a fragment which comprises amino acids 6-30 of the amino acid sequence of SEQ ID NO:2 in which all three glutamic acids in the positions 17, 21 and 24 of said sequence are gamma-carboxylated.

Serial No.: 09/462,931 3 October 2001 Page 3

Clean Copy of the Amended Claims

82

5 (amended). A cell line producing the monoclonal antibody of claim 25.

8 (twice amended). The immunoassay of claim 26, wherein the non-competitive immunoassay is carried out in either a one-step or a two-step incubation procedure.